

WHAT YOU NEED TO KNOW ABOUT ORDERING EQUIPMENT LABELS

Choose a colour, material and size appropriate for the intended purpose



Laser etched red on white treffolite

Deep laser etched 1.6mm thick textured, UV resistant, externally rated red on white treffolite is used where high visibility is important. UV, temperature and moisture resistant 3M tape is a useful adhesive for this type of label.




Laser etched stainless steel

Laser etched 1mm thick #316-2B Grade stainless steel is used where ruggedness in terms of UV resistance as well as temperature and moisture resistance is desirable.

Laser etched Durablack

Laser etched 0.6mm thick *Durablack* heavy duty anodised aluminium is a rugged and popular material for bending around pipelines and hoses.



**DANGER
HIGH
VOLTAGE**

Laser etched yellow on black treffolite

Deep laser etched 1.6mm thick textured, UV resistant, externally rated yellow on black treffolite is used where high visibility is important. It is the favoured material for all electrical labels. UV, temperature and moisture resistant 3M tape is a useful adhesive for this type of label.



**Turn off electronic battery
chargers before Disconnecting/
Reconnecting batteries**

Laser etched green on white treffolite

Deep laser etched 1.6mm thick textured, UV resistant, externally rated green on white treffolite is often used for earth signs. UV, temperature and moisture resistant 3M tape is a useful adhesive or this type of label.

**CABLE SCREEN
IS NOT
EARTHED**

**EARTH MONITORING
DO NOT TURN OFF**

COMBO RECEPTACLE

Laser etched white on black
or black on white treffolite

Laser etched 1.6mm thick textured, UV resistant, externally rated white on black or black on white treffolite is commonly used for all general purpose labels. These labels are an extremely useful way of permanently identifying machine components as well as machine operating instructions.

UV, temperature and moisture resistant
3M tape is a useful adhesive

COMBO RECEPTACLE

Laser etched blue on white treffolite

Laser etched 1.6mm thick textured, UV resistant, externally rated blue on white treffolite is commonly used for identifying machine controls.

UV, temperature and moisture resistant 3M tape is a useful adhesive

ANNULAR

MANIFOLD

HYDRAULIC JACKS

Laser etched white on red treffolite

Laser etched 1.6mm thick textured, UV resistant, externally rated white on red treffolite is commonly used for hydraulic and lubrication labels.

UV, temperature and moisture resistant
3M tape is a useful adhesive

RELONIN B PLUS 68